

Torino



Composition 99% Polyester 1% Polyamide	Surface 92% Polyester 8% Polyamide	Base material 100% Polyester
Rollenlänge <i>roll length</i> 40 m	Breite <i>width</i> 142 cm +/- 2 cm	Nutzbreite <i>usable width</i> 140 cm +/- 2 cm
Weight / m2 310 g +/- 5%	Abrasion resistance DIN EN ISO 12947-1+2 > Category A	Pilling DIN EN ISO 12945-2 (2000 T) 4 Category B
Tensile strength DIN EN ISO 13934-1 Warp 1008 (36,5) Werft 861 (21,8) Category A / A	Tear growth resistance DIN EN ISO 13937-3 N Warp 88,4 Werft 80,4 Category A / A	Resistance to seam slippage DIN EN ISO 13936-2, 180 N Warp 2,0 mm Werft 2,4 mm Category A / A
Fastness to rubbing dry DIN EN ISO 105-X12 Bright colors 5 Dark colors 4 - 5 Category A / A	Fastness to rubbing wet DIN EN ISO 105-X12 Bright colors 4 - 5 Dark colors 4 Category A / A	Fastness to light DIN EN ISO B 02 4 - 5 Category B

Item specification according to DIN EN 14465: 2006

All results were gathered from differenz samples and represent average inductive values.



CTL® GmbH
Chemisch-Technologisches Laboratorium



STANDARD 100



ZH015 182853
TESTEX



We are a supporting member of the Deutsche Gütegemeinschaft Möbel e.V. (German Furniture Quality Association). Quality-assured furniture can be identified by this quality mark.



REACH
Bestanden / passed



AZO-Anteile / AZO-Color
(\$35 LMBG B 82.02-2,3,3)
Bestanden / passed

Pflegesymbole

